<b>—</b>	۵	П	m	D	0







LAYOUT SHOWN AS

Keying Shown as example

## CHARACTERISTICS

ယ

 $\sim$ 

-Mass

BASIC SERIES:

SHELL SIZE : 11

Н

SHELL TYPE : Square Flange Receptacle

CONTACT TYPE : Standard Crimp Contact

PLATING : W = Olive drab Cadmium

-Standard : Based on MIL-DTL-38999 Series III

-Shell Material	: Aluminium			
-Shell Plating	: Olive drab Cadmium			
-Insulator	: Thermoplastic			
-Contacts	: Copper Alloy			
-Seals & Grommet	: Silicon Elastomer			
-Contact Plating	: Gold over copper Alloy $0.8 \mu m$ minimum			
-Durability	: 500 Mating cycles			
-Delivered with Souriau contacts and Accessories				
-Temperature Range	<sub>∶</sub> -65°C to +175°C			
-Salt Spray	: 500 hours			

: 14.18 g ± 10%

8D 0

G

11

W

02

В


F

А

Connector dimension			
Dim	Nominal		
Р	3.25±0.2		
PP	4.93±0.2		
R1	20.62		
R2	18.26		
S	26.2±0.3		
V	20.83+0/-1.25		
W	2.1/2.5		
Z	31.5 Max		
VV THREAD	M15x1-6g		

Е

SOURIAU shall not be liable for due to a use of the Products the Specifications issued by either (professional recommend



Φ		A			
				4	
AS EXAMPLE				3	
any non-conformi s which does not co er of the Parties or l ndation, technical n untry Jurisc FR	mply with by a third part			2	
1W02BA					
MOD N°					
	CUSTOMER	DRAWING			
um Receptac	m Receptacle 8D series				
ar	/ NPRDS <b>85</b>			1	
.COM This document is the property of SOURIAU it must not be reproduced or communicated without permission					
U DRG N°			SHEET		
W02BA-C		A	1/2	J	
_					

ſ	<b>工</b>	Q	г п	m	D	0
		Contact Layout				Panel Cutou
4	.v (2.	+Y IB IA +Y +X 95 -Y .095 (2.4imm)			Σ	SQUARE FLANGE RECEPTACLE (TYPE 0) REAR MOUNTING
	Cont posit ID A B Shell Arrangement size no. 11 -2	X-axis         Y-axis           (mm)         (mm)           +.095 (2.41)         +.000 (.00)          095 (2.41)         +.000 (.00)	ict an		¥ (	Dim
ى ت						ØA ØAA R1 ØT
						SOURIAU shall not be liable for any due to a use of the Products wh the Specifications issued by either of (professional recommendat
C						PN: 8D011V
					A 07-10-201 ISS DATE Designed By:	6 First Release Latest modification - by Date:
<u> </u>					SCALE NA	Aluminium General linear Tolerances: ±
					FORMAT	J WWW.SOURIAU.C SOURIAU
		-			A3	8D011W
	Н	G	l F	I E	D	C

