






THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AF	50						
		H1		ECO-14-002653	24FEB14	PKS	RRP



- 1 CONTINUOUS STRIP ON REELS WITH TERMINALS LOCATED ON 5.08[.200] CENTERS.
- ② SLOT ACCEPTS A 0.51-0.64 mm DIA [#24-#22] AWG COPPER MAGNET WIRE ONLY (2 WIRES MAX).
- ③ WIRE BARREL ACCEPTS 0.12-0.40 mm² [#26-#22] AWG LEAD WIRE.
- ④ IDENTIFICATION NUMBER FOR MAGNET WIRE RANGE.



SECTION A-A
ROTATED 90° CW

OBSOLETE	REVERSE REEL OF 62610-1	0.0010[.000040] MIN THK PER MIL-T-10727	62610-2
	MINI-APPLICATOR		62610-1
REMARKS	REELING	FINISH	PART NO

STRIP LENGTH ±.015	TYPE	WIDTH	HEIGHT ±.051[±.002]	WIRE
3.56 [.140]	F	1.40 [.055]	0.97 [.038]	0.35mm ² [22]
			0.89 [.035]	0.20mm ² [24]
			0.86 [.034]	0.14mm ² [26]

WIRE BARREL CRIMP



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M.S. FEHER 6/13/90	TE TE Connectivity	
DIMENSIONS: INCHES		CHK JR RUTH 6/14/90		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D DECKER 6/14/90	NAME	
0 PLC ± -		PRODUCT SPEC	TERMINAL, F CRIMP, MAG-MATE™	
1 PLC ± -		APPLICATION SPEC	-	
2 PLC ± -		114-2069	SIZE A2	CAGE CODE 00779
3 PLC ± 0.38[.015]		WEIGHT -	DRAWING NO C=62610	RESTRICTED TO -
4 PLC ± -		CUSTOMER DRAWING	SCALE 8:1	SHEET 1 OF 1
ANGLES ± -			REV H1	
FINISH SEE TABLE				