

Data sheet | Item number: 210-812
Type labels; 50 x 25 mm; silver-colored

www.wago.com/210-812



Data

Technical data

Marking method	Thermal transfer
Marking	plain
Delivery form	Roll
Delivery form configuration	500 markers/reel; 1 line
Printing device	Smart Printer (Thermal Transfer Printer)

Physical data

Depth	0.09 mm
Marking surface	25 x 50 mm

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Mechanical Data

Mounting type	Sticking
Smear resistance	in conjunction with 258-5005 Ink Ribbon

Material Data

Color	silver-colored
Material	Polyester
UV resistance	EN 60068-2-5:2010 Procedure B
Adhesive information	Acrylic; permanent
Halogen-free	Yes
Weight	300 g

Environmental requirements

Ambient temperature (storage)	≤+21 °C
Ambient temperature (operation)	-40 ... +150 °C
Relative humidity	40 ... 50 %

Commercial data

eCl@ss 10.0	27-40-06-29
eCl@ss 9.0	27-40-06-29
ETIM 8.0	EC001288
ETIM 7.0	EC001288
PU (SPU)	1 pcs
Packaging type	box
Country of origin	DE
GTIN	4055143389037
Customs tariff number	39199080888

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Optional accessories

Marking accessories

Marking devices	
-----------------	--

Subject to changes. Please also observe the further product documentation!



Item no.: 258-5000

Thermal transfer printer; Smart Printer; for complete control cabinet marking; 300 dpi; With marking material

www.wago.com/258-5000

Downloads

Documentation

Operating Instructions

210-804 Information on handling print material	1	pdf	Download
	2020 Aug 28	1.4 MB	

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 210-812	URL	Download
Type labels; 50 x 25 mm; silver-colored		

Installation Notes

Subject to changes. Please also observe the further product documentation!