

ITEM	PART#	DESCRIPTION	QTY	UOM
A, B	1722563108	ULTRA-FIT HSG SR 8ckt Bk	2	PC
C	1722643008	ULTRA-FIT TPA 8ckt Bk	2	PC
D	1722537023	ULTRA-FIT CRIMP TERM 16-18 TIN Pre-P	16	PC
E	--	PAPER PRINTED PAPER WHITE	1	PC

FROM	TO	DESCRIPTION	COLOR
A1	B8	1X16AWG DISC SR-PVC BK UL1061 HKUP	BLACK
A2	B7	1X16AWG DISC SR-PVC BK UL1061 HKUP	BLACK
A3	B6	1X16AWG DISC SR-PVC BK UL1061 HKUP	BLACK
A4	B5	1X16AWG DISC SR-PVC BK UL1061 HKUP	BLACK
A5	B4	1X16AWG DISC SR-PVC BK UL1061 HKUP	BLACK
A6	B3	1X16AWG DISC SR-PVC BK UL1061 HKUP	BLACK
A7	B2	1X16AWG DISC SR-PVC BK UL1061 HKUP	BLACK
A8	B1	1X16AWG DISC SR-PVC BK UL1061 HKUP	BLACK




TABLE			
PART NUMBER	L1	L2	TITLE
2174651081	150±8	63 REF	ULTRA-FIT SR R-R 8CKT 150MM DISC Sn
2174651082	300±10	138 REF	ULTRA-FIT SR R-R 8CKT 300MM DISC Sn
2174651083	600±10	288 REF	ULTRA-FIT SR R-R 8CKT 600MM DISC Sn

- NOTES**
- Cable assembly must pass 100% for continuity and polarity.
 - Connector view shown is from mating side.
 - Label text must be 2mm max. in height with Arial font.
 - Label must be wrapped in Flag type on a single cable.

MOLEX P/N
MOLEX
BATCH WK/YR
DETAIL A

REVISION			
DATE	REV	DESCRIPTION	CHANGER
15/01/2021	A	INITIAL RELEASE	ARAJU

FUNCTIONAL SYMBOLS $\frac{E}{A} = 0$ $\frac{E}{E} = 0$ $\frac{E}{P} = 0$ DIVISIONAL SYMBOLS	DIMENSION UNITS: mm SCALE: NTS		CURRENT REV DESC:					
	GENERAL TOLERANCES (UNLESS SPECIFIED)		molex					
	ANGULAR TOL ± °		SEE TABLE					
	4 PLACES ± 3 PLACES ± 2 PLACES ± 1 PLACE ± 0 PLACES ±		PRODUCT CUSTOMER DRAWING					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING: A4-SIZE	SERIES: 217465	DOCUMENT NUMBER: 2174651081	DOC TYPE: PSD	DOC PART: 000	REVISION: A

DOCUMENT STATUS	P1	RELEASE DATE	2021/01/22	06:05:23
-----------------	----	--------------	------------	----------