


Specification Sheet

Part Number: 132-00009



Button Head Cable Tie with Retainers and Pilot Bushings, 15.0" Long, PA66HIRHSUV, Black, 50/pkg

| | |
|---------------------|--|
| Article Number | 132-00009 |
| Type | BT130LDP |
| Color | Black (BK) |
| Features & Benefits | <ul style="list-style-type: none">• Unique two piece tie allows parallel entry and exit through the head for easy assembly.• High impact, heat stabilized material gives strength needed for trucking and heavy equipment applications. |
| Quantity Per | bag |

Product Description

The button head tie is a two piece tie providing for parallel entry and exit through the head. The strap contains serrations on both sides, and has two opposed pawls recessed within a domed head. This design allows the strap to be directed clockwise or counter-clockwise prior to insertion into the head, enabling bi-directional looping.

| | |
|--|---|
| Short Description | Button Head Cable Tie with Retainers and Pilot Bushings, 15.0" Long, PA66HIRHSUV, Black, 50/pkg |
| Global Part Name | BT130LDP-PA66HIRHSUV-BK |
| Minimum Tensile Strength (Imperial) | 130 |
| Minimum Tensile Strength (Metric) | 578 |
| Length L (Imperial) | 15.0 |
| Length L (Metric) | 381.5 |
| Fixation Method | Connector Clip |
| Identification Plate Position | none |
| Releasable Closure | No |
| Tie Closure | plastic pawl |
| Variant | Outside Serrated |
| Width W (Imperial) | 0.3 |
| Width W (Metric) | 7.6 |
| Bundle Diameter Min (Imperial) | 0.06 |
| Bundle Diameter Min (Metric) | 1.5 |
| Bundle Diameter Max (Imperial) | 4.3 |

Bundle Diameter Max (Metric)

110.0

Material

Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)

Material Shortcut

PA66HIRHSUV

Material Head

Polyamide 6.6 heat stabilized (PA66HS)

Flammability

UL 94 HB

Operating Temperature (Metric)

-40°F to +185°F (-40°C to +85°C)

Reach Complaint(Article 33)

Yes

Package Quantity(Imperial)

50

Package Quantity (Metric)

50

Customs Number

3926909987

Content Unit(BMEcat)

pcs.