





DETAILS

Product Number	CS14263_HB-IP-2X6-WWW
Family	HB
Type	Assembly
Color	clear
Diameter	71,4 x 173 mm
Height	11,39 mm
Style	rectang
Optic Material	PMMA
Holder Material	
Fastening	screw
Status	production ready
ROHS Compliant	Yes
Date Updated	8/09/2016



OPTICAL PROPERTIES

LED	Viewing	Light	Effi-		Connector
	Angle	Beam	ciency	cd/lm	
XP-G2	95 deg	HighBay	93 %	0.400	-
XT-E	98 deg	HighBay	94 %	0.380	-
XP-L	103 deg	HighBay	92 %	0.350	-
XM-L2	97 deg	HighBay	93 %	0.380	-
XHP35 HD	sim: 101	HighBay	sim: 91 %	sim: 0.360	-
XP-G3	sim: 95	HighBay	sim: 91 %	sim: 0.360	-
MHB-A	sim: 106	HighBay	sim: 87 %	sim: 0.360	-
XP-L2	96 deg	HighBay	94 %	0.390	-
H35C1 (LEMWA33)	sim: 101	HighBay	sim: 94 %	sim: 0.400	-
LUXEON T	91 deg	HighBay	93 %	0.440	-
LUXEON TX	95 deg	HighBay	93 %	0.430	-
LUXEON Z ES	85 deg	HighBay	93 %	0.470	-
LUXEON XR-TX (L2T0-xyy012M)	97 deg	HighBay	93 %	0.430	-
NVSxx19B/NVSxx19C	sim: 97	HighBay	sim: 92 %	sim: 0.380	-
NVSxE21A	84 deg	HighBay	94 %	0.480	-
Oslon Square PC	95 deg	HighBay	92 %	0.380	-
Oslon Square Gen3	sim: 95	HighBay	sim: 93 %	sim: 0.400	-
Duris S8	sim: 93	HighBay	sim: 94 %	sim: 0.440	-
Oslon SSL 80	76 deg	HighBay	94 %	0.560	-
Duris P9	sim: 98	HighBay	sim: 94 %	sim: 0.390	-
Z5M1/Z5M2	97 deg	HighBay	92 %	0.400	-
TL1L3	sim: Asymmetric	HighBay	sim: 84 %	-	-
TL1L2	sim: 100	HighBay	sim: 91 %	sim: 0.390	-
TL1L4	95 deg	HighBay	94 %	0.410	-



INDEX	PART NO	DESCRIPTION	MATERIAL	COLOUR
1	C14229	HB-IP-2X6-WWW	PMMA	clear
2	C14018	2x6-SEAL25	Silicone	white

Tolerances if not otherwise shown
According to DIN ISO 2768-1
Linear measures:
Up to 30mm class M, otherwise class C.
According to DIN ISO 2768-2
Form and position: class L

LEDiL LediL Oy
Salorankatu 10
FIN 24240 SALO
Finland

THIRD ANGLE PROJECTION:

DRAWING TITLE
CS14263_HB-IP-2X6-WWW


This drawing is the property of LEDiL Oy. It may not be reproduced, copied or communicated without a written agreement with LEDiL Oy.

SIZE	PART NUMBER
A3	CS14263

SCALE	1:1	WEIGHT	62,2 g	SHEET	1/1
-------	-----	--------	--------	-------	-----


Luminaire: LEDiL Oy CS14263_HB-IP-2X6-WWW_(XP-G2)

Lamps: 1 x CREE_XP-G2_2x6_1180.76lm@250mA_P=8.13864W_I=240mA




Luminaire: LEDiL Oy CS14263_HB-IP-2X6-WWW_(XT-E)

Lamps: 1 x CREE_XT-E_6x2_(XTEAWT-00-0000-000000HE4)_1253.02lm@250mA_P=8.85391W_I=249.8mA




Luminaire: LEDiL Oy CS14263_HB-IP-2X6-WWW_(XP-L)


Lamps: 1 x CREE_XP-L_2x6_(XPLAWT-0-7A3-U50-0H-0001)_1253.88lm@250mA_P=8.22317W_I=249.8mA




Luminaire: LEDiL Oy CS14263_HB-IP-2X6-WWW_(XM-L2) Eff.92.6%
Lamps: 1 x CREE_XM-L2_2x6_1197.78lm@250mA_P=8.38555W_I=254.1mA




Luminaire: Ledil Oy CS14263_HB-IP-2X6-WWW_(XP-G3)_SIMULATED
Lamps: 1 x Cree XP-G3




Luminaire: LEDIL CS14263_HB-IP-2X6-WWW_MHB_SIMULATED
Lamps: 1 x




Luminaire: Ledil CS14263_HB-IP-2X6-WWW_(XP-L2)
Lamps: 1 x Cree_XP-L2_2x6_1659.4lm@250mA_P=8.22525W_I=0.25A




Luminaire: Ledil Oy CS14263_HB-IP-2X6-WWW_(H35C1)_SIMULATED
Lamps: 1 x LG H35C1




Luminaire: LEDiL Oy CS14263_HB-IP-2X6-WWW_(Luxeon_T)
Lamps: 1 x Luxeon_T_2x6_(LXH8-FW30)_1010lm@250mA_P=8.39003W_I=249.8mA




Luminaire: LEDiL Oy CS14263_HB-IP-2X6-WWW_(Luxeon_TX)
Lamps: 1 x Luxeon_TX_2x6_1286.09lm@250mA_P=8.26138W_I=249.8mA



Luminaire: LEDiL Oy CS14263_HB-IP-2X6-WWW_(Luxeon_Z_ES)
Lamps: 1 x LUXEON_Z_ES_2x6_967.781lm@250mA_P=8.25189W_I=249.8mA




Luminaire: Ledil CS14263_HB-IP-2X6-WWW_(XR-TX)
Lamps: 1 x Luxeon_XR-TX_1376.41lm@250mA_P=8.3920W_I=0.250A




Luminaire: Ledil CS14263_HB-IP-2X6-WWW_(Nichia_E21)

Lamps: 1 x Nichia_NVSWE21A_601.623lm@600mA_P=3.5001W_I=0.600A




Luminaire: LEDiL Oy CS14263_HB-IP-2X6-WWW_(SQ-PC)


Lamps: 1 x OSLO_N_SQUARE-PC_1186.1lm@250mA_P=8.73326W_I=249.8mA



Luminaire: LEDiL Oy CS14263_HB-IP-2X6-WWW_(SSL80)
Lamps: 1 x SSL80_1292.29lm@250mA_P=8.5574W_I=0.250A




Luminaire: Ledil Oy CS14263_HB-IP-2X6-WWW_OSRAM_DURIS_P9_SIMULATED
Lamps: 1 x OSRAM DURIS P9



Luminaire: Ledil CS14263_HB-IP-2X6-WWW_(Z5M1)_GS


Lamps: 1 x Seoul Z5M1 (S25-M1-WW-C8)_1201.44lm@250mA_P=8.63825W_I=0.25A



Ledil CS14263_HB-IP-2X6-WWW_(TL1L4) / LDC (Linear)


Luminaire: Ledil CS14263_HB-IP-2X6-WWW_(TL1L4)

Lamps: 1 x Toshiba_TL1L4_2x6_(TL1L4-DW0)_1263.19lm@250mA_CCT=6500K_P=8.5W_I=0.25A



Luminaire: LEDiL Oy CS14263_HB-IP-2X6-WWW_(XP-G2)

Lamps: 1 x CREE_XP-G2_2x6_1180.76lm@250mA_P=8.13864W_I=240mA



cd/klm


— C0 - C180

— C90 - C270

$\eta = 93\%$


Luminaire: LEDiL Oy CS14263_HB-IP-2X6-WWW_(XT-E)

Lamps: 1 x CREE_XT-E_6x2_(XTEAWT-00-0000-000000HE4)_1253.02lm@250mA_P=8.85391W_I=249.8mA




Luminaire: LEDiL Oy CS14263_HB-IP-2X6-WWW_(XP-L)


Lamps: 1 x CREE_XP-L_2x6_(XPLAWT-0-7A3-U50-0H-0001)_1253.88lm@250mA_P=8.22317W_I=249.8mA



Luminaire: LEDiL Oy CS14263_HB-IP-2X6-WWW_(XM-L2) Eff.92.6%
Lamps: 1 x CREE_XM-L2_2x6_1197.78lm@250mA_P=8.38555W_I=254.1mA




Luminaire: Ledil Oy CS14263_HB-IP-2X6-WWW_(XP-G3)_SIMULATED
Lamps: 1 x Cree XP-G3



Luminaire: LEDIL CS14263_HB-IP-2X6-WWW_MHB_SIMULATED

Lamps: 1 x




cd/klm

— C0 - C180 — C90 - C270

$\eta = 87\%$

Luminaire: Ledil CS14263_HB-IP-2X6-WWW_(XP-L2)

Lamps: 1 x Cree_XP-L2_2x6_1659.4lm@250mA_P=8.22525W_I=0.25A




cd/klm

— C0 - C180 — C90 - C270

$\eta = 94\%$

Luminaire: Ledil Oy CS14263_HB-IP-2X6-WWW_(H35C1)_SIMULATED
Lamps: 1 x LG H35C1




cd/klm

— C0 - C180 — C90 - C270

$\eta = 95\%$

Luminaire: LEDiL Oy CS14263_HB-IP-2X6-WWW_(Luxeon_T)

Lamps: 1 x Luxeon_T_2x6_(LXH8-FW30)_1010lm@250mA_P=8.39003W_I=249.8mA




cd/klm

— C0 - C180

— C90 - C270

$\eta = 93\%$

Luminaire: LEDiL Oy CS14263_HB-IP-2X6-WWW_(Luxeon_TX)
Lamps: 1 x Luxeon_TX_2x6_1286.09lm@250mA_P=8.26138W_I=249.8mA




cd/klm


— C0 - C180

— C90 - C270

Luminaire: LEDiL Oy CS14263_HB-IP-2X6-WWW_(Luxeon_Z_ES)
Lamps: 1 x LUXEON_Z_ES_2x6_967.781lm@250mA_P=8.25189W_I=249.8mA



Luminaire: Ledil CS14263_HB-IP-2X6-WWW_(XR-TX)
Lamps: 1 x Luxeon_XR-TX_1376.41lm@250mA_P=8.3920W_I=0.250A




cd/klm

— C0 - C180 — C90 - C270

$\eta = 93\%$

Luminaire: Ledil CS14263_HB-IP-2X6-WWW_(Nichia_E21)

Lamps: 1 x Nichia_NVSWE21A_601.623lm@600mA_P=3.5001W_I=0.600A




cd/klm

— C0 - C180 — C90 - C270


$\eta = 94\%$

Luminaire: LEDiL Oy CS14263_HB-IP-2X6-WWW_(SQ-PC)

Lamps: 1 x OSLO_N_SQUARE-PC_1186.1lm@250mA_P=8.73326W_I=249.8mA



Luminaire: LEDiL Oy CS14263_HB-IP-2X6-WWW_(SSL80)
Lamps: 1 x SSL80_1292.29lm@250mA_P=8.5574W_I=0.250A




cd/klm

— C0 - C180 — C90 - C270

$\eta = 94\%$

Luminaire: Ledil Oy CS14263_HB-IP-2X6-WWW_OSRAM_DURIS_P9_SIMULATED
Lamps: 1 x OSRAM DURIS P9




cd/klm

— C0 - C180 — C90 - C270

$\eta = 96\%$

Luminaire: Ledil CS14263_HB-IP-2X6-WWW_(Z5M1)_GS

Lamps: 1 x Seoul Z5M1 (SZ5-M1-WW-C8)_1201.44lm@250mA_P=8.63825W_I=0.25A



cd/klm


— C0 - C180 — C90 - C270

$\eta = 92\%$

Ledil CS14263_HB-IP-2X6-WWW_(TL1L4) / LDC (Polar)

Luminaire: Ledil CS14263_HB-IP-2X6-WWW_(TL1L4)

Lamps: 1 x Toshiba_TL1L4_2x6_(TL1L4-DW0)_1263.19lm@250mA_CCT=6500K_P=8.5W_I=0.25A



cd/klm

— C0 - C180 — C90 - C270

$\eta = 94\%$

NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.