


THIS DOCUMENT IS THE PROPERTY OF KEYSTONE ELECTRONICS CORP. AND SHALL NOT BE REPRODUCED, DISTRIBUTED OR USED AS A BASIS FOR MANUFACTURE WITHOUT PRIOR WRITTEN PERMISSION FROM KEYSTONE ELECTRONICS CORP.



NOTES:

TAPE AND REEL SPECIFICATIONS:

1. TAPE:


MAT'L - ALL CONDUCTIVE POLYSTYRENE CARRIER
ANSI/EIA-481 STANDARD

2. REEL:




13.0 [330.2] DIA. 400 PIECES OF
PART NO. 1052 PER REEL.

DATE	DESCRIPTION	REV.
2.09.15	UPDATE POCKET CONFIGURATION CHANGE AS PER ECN 15-019	C
5.12.14	TAPE WAS HOLDING 300 PCS ECN 14-051, PITCH WAS 24mm	B
4.02.13	TAPE WAS HOLDING 250 PCS CHANGE AS PER ECN 13-034	A

KEYSTONE ELECTRONICS CORP.			
www.keyelco.com • ASTORIA, N.Y. 11105-2017 • Tel (718) 956-8900			
PART NAME 2450 SMT BATTERY HOLDER ON TAPE AND REEL			
MATERIAL AS NOTED			
FINISH AS NOTED		DRN BY NT	DATE 3.11.11
		APP'D LN	SCALE 1X
TOLERANCES INCH [MM]	CODE	DWG NO.	
DECIMAL ± .015 [± 0.38]	C	1052TR	
ANGULAR ± 1° UNLESS OTHERWISE SPECIFIED			



SECTION A-A



NOTES:

1. BASE:



MAT'L - GLASS FILLED LCP UL 94V-0

2. CONTACTS:

MAT'L - .006 [0.15] THK PHOSPHOR BRONZE

FINISH: GOLD FLASH PLATING

DATE	DESCRIPTION	REV.
8.12.11	CHANGE AS PER ECN 11-104	A
7.24.14	CHANGE AS PER ECN 14-077	B



ACTUAL SIZE

THIS DOCUMENT IS THE PROPERTY OF KEYSTONE ELECTRONICS CORP. AND SHALL NOT BE REPRODUCED, DISTRIBUTED OR USED AS A BASIS FOR MANUFACTURE WITHOUT PRIOR WRITTEN PERMISSION FROM KEYSTONE ELECTRONICS CORP.

KEYSTONE ELECTRONICS CORP.			
www.keyelco.com • ASTORIA, N.Y. 11105-2017 • Tel (718) 956-8900			
PART NAME 2450 SMT BATTERY HOLDER			
MATERIAL AS NOTED			
FINISH	AS NOTED	DRN BY	NT
TOLERANCES	INCH [MM]	CODE	DWG NO.
DECIMAL	± .010 [± 0.25]	C	1052
ANGULAR	± 1°		
		App'D	LN
		SCALE	2.5X
		DATE	12.01.10