


| ITEM | PART# | DESCRIPTION | QTY | UOM |
|------|-----------|---------------------------------------|-----|-----|
| A | 436450800 | MICROFIT 3.0 RECEPTACLE SGL ROW 8 CKT | 1 | PC |
| B | 430300038 | MicroFit 3.0 F Crp Term Chn Tin 18 | 8 | PC |
| C | -- | PAPER PRINTED PAPER WHITE | 1 | PC |

| FROM | TO | DESCRIPTION | COLOR |
|------|----|--------------------------------|-------|
| A1 | -- | 1X18AWG DISC SR-PVC BK UL10002 | BLACK |
| A2 | -- | 1X18AWG DISC SR-PVC BK UL10002 | BLACK |
| A3 | -- | 1X18AWG DISC SR-PVC BK UL10002 | BLACK |
| A4 | -- | 1X18AWG DISC SR-PVC BK UL10002 | BLACK |
| A5 | -- | 1X18AWG DISC SR-PVC BK UL10002 | BLACK |
| A6 | -- | 1X18AWG DISC SR-PVC BK UL10002 | BLACK |
| A7 | -- | 1X18AWG DISC SR-PVC BK UL10002 | BLACK |
| A8 | -- | 1X18AWG DISC SR-PVC BK UL10002 | BLACK |



| TABLE | | | |
|-------------|--------|---------|------------------------------------|
| PART NUMBER | L1 | L2 | TITLE |
| 2147511081 | 150±8 | 63 REF | MICROFIT 3.0 SR R-S 8CKT 150 MM Sn |
| 2147511082 | 300±10 | 138 REF | MICROFIT 3.0 SR R-S 8CKT 300 MM Sn |
| 2147511083 | 600±10 | 288 REF | MICROFIT 3.0 SR R-S 8CKT 600 MM Sn |

- NOTES**
- Connector view shown is from mating side.
 - Free ends must be stripped, twisted & tinned. The length of tinning is 5±1mm. Tinning dia must be 1.55mm Max.
 - Label text must be 2mm max. in height with Arial font.
 - Label must be wrapped in Flag type on a single cable.

MOLEX P/N
MOLEX
BATCH WK/YR
DETAIL A

| REVISION | | | |
|------------|-----|-----------------|---------|
| DATE | REV | DESCRIPTION | CHANGER |
| 2020/02/29 | A | INITIAL RELEASE | ARAJU |

| | | | | | | | | | |
|---|----|-----------------|--|--|--|-------------------|--|--|--|
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION | | | | | | | | | |
| SYMBOLS | | DIMENSION UNITS | | SCALE | | CURRENT REV DESC: | | | |
| ∇ = 0 | mm | NTS | | <p>GENERAL TOLERANCES (UNLESS SPECIFIED)</p> <p>ANGULAR TOL ± °</p> <p>4 PLACES ±</p> <p>3 PLACES ±</p> <p>2 PLACES ±</p> <p>1 PLACE ±</p> <p>0 PLACES ±</p> <p>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</p> <p>THIRD ANGLE PROJECTION</p> <p>DRAWING</p> <p>SERIES</p> <p>MATERIAL NUMBER</p> <p>CUSTOMER</p> <p>SHEET NUMBER</p> | | | | | |
| E = 0 | | | | | | | | | |
| F = 0 | | | | | | | | | |
| S = 0 | | | | | | | | | |
| ▼ = 0 | | | | | | | | | |
| ∇ = 0 | | | | | | | | | |
| ⊠ = 0 | | | | | | | | | |
| ■ = 0 | | | | | | | | | |
| ∇ = 0 | | | | | | | | | |
| ∇ = 0 | | | | | | | | | |
| molex | | SEE TABLE | | EC NO: 637489 | | | | | |
| DRWN: ARAJU | | 2020/02/29 | | DRWN: ARAJU | | | | | |
| CHK'D: RDESAI01 | | 2020/05/14 | | CHK'D: RDESAI01 | | | | | |
| APPR: RDESAI01 | | 2020/05/14 | | APPR: RDESAI01 | | | | | |
| INITIAL REVISION: | | DRWN: ARAJU | | 2020/02/29 | | INITIAL REVISION: | | | |
| APPR: RDESAI01 | | 2020/05/14 | | APPR: RDESAI01 | | | | | |
| DOCUMENT NUMBER | | DOC TYPE | | DOC PART | | REVISION | | | |
| 2147511081 | | PSD | | 000 | | A | | | |
| SEE TABLE | | GENERAL MARKET | | 1 OF 1 | | | | | |