

**PLUGSERIES**  
**POS-4P M12 M20 150mm**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com



Various build-in connectors are required for the connections on the device side of the sensor/actuator cabling. These are available in the versions M12, M8 and M5.

**General ordering data**

|            |  |
|------------|--|
| Type       | POS-4P M12 M20 150mm                             |
| Order No.  | <a href="#">8425930000</a>                       |
| Version    | Locating plug-in connector, M12, No. of poles: 4 |
| GTIN (EAN) | 4032248119844                                    |
| Qty.       | 1 pc(s).   |

**Data sheet**

**PLUGSERIES  
POS-4P M12 M20 150mm**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Technical data**

**Dimensions and weights**

Net weight 65 g

**General data**

|                       |                      |                              |                    |
|-----------------------|----------------------|------------------------------|--------------------|
| Cable gland           | M 20                 | Conductor O.D.               | -                  |
| Contact surface       | CuZnAu               | Contact tube diameter        | M12                |
| Core cross-section    | 0.34 mm <sup>2</sup> | Fire behaviour               | V2                 |
| Housing main material | CuZn, nickel-plated  | Insulation resistance        | 10 <sup>12</sup> Ω |
| Material              | Cu Zn                | No. of poles                 | 4                  |
| Protection degree     | IP 67                | Rated current                | 4 A                |
| Rated voltage         | 250 V                | Temperature range of housing | -40 ... +85 ° C    |

**Classifications**

|            |             |            |             |
|------------|-------------|------------|-------------|
| ETIM 3.0   | EC0005 16   | UNSPSC     | 26-12-16-03 |
| eClass 5.1 | 27-25-02-01 | eClass 6.2 | 27-26-07-02 |
| eClass 7.1 | 27-44-01-02 |            |             |

**Approvals**

Approvals



ROHS Conform

**Data sheet****PLUGSERIES  
POS-4P M12 M20 150mm**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**