т Q Т	—		0	∞ >	
Z T T T T T T T T T T T T T T T T T T T					
			LAYOUT SHOWN AS EXAMI	PLE	
Keying Sh	hown as example				
CHARACTERISTICS	Connector dimension				
-Standard : Based on MIL-DTL-38999 Series III	DimNominalØS25 Max				7
-Shell Material: Aluminium-Shell Plating: Olive drab Cadmium-Insulator: Thermoplastic-Contacts: Copper Alloy	Z 31 Max VV THREAD M15x1-6g		SOURIAU shall not be liable for any non-conformity or damage due to a use of the Products which does not comply with the Specifications issued by either of the Parties or by a third party (professional recommendation, technical notice.)		
-Seals & Grommet : Silicon Elastomer			Country	Jurisdiction & Control List	_
-Contact Plating : Gold over copper Alloy 0.8µm minimum -Durability : 500 Mating cycles			FR Not Listed		
-Delivered with Souriau contacts and Accessories			PN: 8D511W98AC		
-Temperature Range : -65°C to +175°C					
-Salt Spray : 500 hours		A 18-10-201			
-Mass : 14.7 g ± 10%		ISS DATE Designed By:	Latest modification - by Date:	CUSTOMER DRAWING	MOD N°
		TITLE Aluminium Plug 8D series			
BASIC SERIES: 8D 5 - 11 W 98 A 0	c	SCALE	General linear	NPRDS / PROJECT	
SHELL TYPE : Plug with RFI Shielding		NA	Tolerances:	859	
CONTACT TYPE : Standard Crimp Contact	ORIENTATION : C	_		This document is the property SOURIAU	of
SHELL SIZE : 11	CONTACT TYPE : PIN(500 Matings)	- SOURIAU	SOURIAU WWW.SOURIAU.COM it must not be reproduced or communicated without permission		
PLATING : W = Olive drab Cadmium	CONTACT TITL: FIN(SOU Matings)	-	SOURIAU DE		SHEET
	CONTACT LATOUT . 11-90		JUUNIAU DI		
I		- A3	8D511W98	AC-C	1/2

	Ŧ	പ	п –	m		0
4	-×	Contact Layout $A \oplus A \oplus$			`	
	Cont posit ID A A B C C D E F Shell Steel Arrangement Numb	A +.000 (0.00) +.130 (3.30) 3 +.130 (3.30) +.000 (0.00) 2 +.065 (1.65) 113 (2.87) 3 130 (3.30) +.000 (0.00) 2 065 (1.65) 113 (2.87) 3 130 (3.30) +.000 (0.00) 2 +.000 (0.00) +.000 (0.00)	7			
ယ	size no. conta 11 -98 6					
	+					SOURIAU shall not be liable for due to a use of the Products the Specifications issued by eithe
2						(professional recommer
					A 18-10-20 ISS DATE Designed By:	16 First Release Latest modification - by Date:
-					SCALE NA	Alum General linea Tolerances: ±
			_		FORMAT A3	SOURIA 8D511
	Н	G	l F	E	D	C

