




THIS DRAWING IS UNPUBLISHED.  
 VERTRAULICHE UNVEREFFENTLICHTE ZEICHNUNG  
 © COPYRIGHT - By -  
 RELEASED FOR PUBLICATION  
 FREI FUER VEREFFENTLICHUNG  
 ALL RIGHTS RESERVED.  
 ALLE RECHTE VORBEHALTEN

PROJEKT NR. **EGGMN 04410**


REVISIONS ÄNDERUNGEN		DATE	DWN	APVD
P	LTR	DESCRIPTION BESCHREIBUNG		
-		NEW DRAWN	14-02-2006	SR AG
B		ECR-15-007667	16JUL2015	GSK JB

**CONTACT ARRANGEMENT  
VIEW FROM CONECTING SIDE**




**NOTES**

- SUITABLE CRIMP CONTACTS: SERIES S20DF  
 CATALOG: 889745  
 OUTER DIMENSIONS OF INSULATION: MAX. Ø1,6 MM
- SUITABLE MODULE FIXING FRAME: SERIES HVS SIZE 3 TO 8  
 CUSTOMER DRAWING: 1103250
- SUITABLE INSERTION TOOL:  
 CUSTOMER DRAWING: 1102855
- SUITABLE EXTRACTION TOOL:  
 CUSTOMER DRAWING: 1102855
- STANDARDS:  
 DIN EN 61984; DIN EN 60664-1
- POLARIZATION RIPS
- MARKING OF POLARIZATION ACCORDING MARKING OF  
 MODULE FRAME
- PACKAGING:  
 10 SETS IN A CARTON, PRE-MOUNTED



**CONTACT ARRANGEMENT  
VIEW FROM TERMINATION SIDE**



QTY.	DESCRIPTION	MATERIAL	SURFACE	COLOR	NOTE	ITEM
2	SCREW 2,5X8	Steel	ZINC PLATED	BLUE	FOR PLASTICS	3
1	ASSY RECCEPTACLE	---				2
1	MODULE INSERT	PBT-GF10	SURFACE	LIGHT GREY	---	1

**PARTS LIST**

THIS DRAWING IS A CONTROLLED DOCUMENT. DIESE ZEICHNUNG IST EIN KONTROLLIERTES DOKUMENT.		DWN SCHNEIDER 14.02.2006	TE Connectivity		
DIMENSIONS: MASSE/MAßSTÄBEN: mm		CHK A.GAST 14.02.2006			
TOLERANCES UNLESS OTHERWISE SPECIFIED: ALLGEMEINTOLERANZEN n. ISO 8015 - n. ISO 2768 - mH-E n. DIN 16901- 140		APVD T.SCHNURPFEIL 14.02.2006	NAME FEMALE INSERT HVS-SMD.9.BU.C		
		PRODUCT SPEC PRODUKTSPEZ. 108-74076	DRAWING NO ZEICHNUNGS-NR. G-1103159		
MATERIAL		APPLICATION SPEC. VERARBEITUNGSSPEZ. 114-74075	SIZE A3	CAGE CODE 00779	RESTRICTED TO NUR FUER -
FINISH/OBERFLÄCHE/FARBE		WEIGHT GEWICHT 0.001 KG	SCALE MAßSTAB 2:1		
		CUSTOMER DRAWING/KUNDENZEICHNUNG			SHEET BLATT 1 OF VON 1
					REV B