


HC-D 25-SD-FL/FS

Order No.: 1660135

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1660135>HEAVYCON protective cover, type D25, for supporting base element
with single locking latch, with retaining cord, IP54, PA**Commercial data**

| | |
|--------------------------|------------------------------------------------------------------------------------|
| GTIN (EAN) |  |
| sales group | D093 |
| Pack | 10 pcs. |
| Customs tariff | 39269097 |
| Catalog page information | Page 550 (PC-2009) |

Product notesWEEE/RoHS-compliant since:
03/01/2006

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data**General data**

| | |
|---------------------------------|-------------------------------------------------------|
| Design | D25 |
| Type | For supporting base element with single locking latch |
| Locking type | for single locking latch |
| Degree of protection | IP54 |
| Ambient temperature (operation) | -20 °C ... 100 °C |

| | |
|------------------------------------|----------------------------------------------------|
| Seal material | NBR |
| Material, protective cover | PA |
| Inflammability class acc. to UL 94 | HB |
| Connection | Plastic protective cover for short-term protection |

Certificates / Approvals



Certification

GOST

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2010 Phoenix Contact
Technical modifications reserved;