



Oct.1.2018 Copyright 2018 HIROSE ELECTRIC CO., LTD. All Rights Reserved.

In case that the application demands a high level of reliability, such as automotive, please contact a company representative for further information.

REV	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	REV	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE
△	1	REVISED	HJ.KIM	HJ,LEE	17.10.13	△					
△						△					
APPLICABLE STANDARD		USB Type-C Cable and Connector Specification Release 1.2 USB Type-C Connector and Cable Assemblies Compliance Document Revision 1.0									
RATING	CURRENT	-									
	VOLTAGE	-									
OPERATING CONDITION		-30℃ ~ +85℃ (INCLUDING TEMP. RISE), 95% RH MAX. (NON-CONDENSING)									
STORAGE CONDITION		-10℃ ~ +60℃ (WITH PACKING), 15% ~ 70% RH									
APPLICABLE CABLE		OUTER DIAMETER OF CABLE Ø 4.8									
Test Description			Test Procedure			Test Requirement			QT	AT	
GENERAL EXAMINATION			VISUALLY AND BY MEASURING INSTRUMENT.			ACCORING TO DRAWING.			○	○	
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;">REMARKS</div> <div style="width: 15%;">DRAFT</div> <div style="width: 15%;">DESIGN</div> <div style="width: 15%;">CHECK</div> <div style="width: 15%;">APPROVAL</div> <div style="width: 15%;">RELEASE</div> </div> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="width: 45%;">                     HIROSE will not guarantee the performance on these specifications in case this product will be mated with the others which is not HIROSE's △                 </div> <div style="width: 15%;">                     JS.PARK 16.12.07                 </div> <div style="width: 15%;">                     JS.PARK 16.12.07                 </div> <div style="width: 15%;">                     HJ.LEE 16.12.07                 </div> <div style="width: 15%;">                     TS.KANG 16.12.07                 </div> <div style="width: 15%; text-align: center;">  </div> </div>											
NOTE) QT : QUALIFICATION TEST, AT : ASSURANCE TEST											
DWG NO			CL NO			PART NO					
ELC4-632262			CL 6240-0007-5			CX60-SLDA					
						PRODUCT SPECIFICATION				1 / 1	