

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0640050400](#)  
**Status:** **Active**  
**Overview:** [Application Tooling](#)  
**Description:** Crimp Head for the AT-200 Pneumatic Hand Tool

**Documents:**  
[RoHS Certificate of Compliance \(PDF\)](#)

**General**


Product Family	Application Tooling
Series	<a href="#">207129</a>
Comments	Type: AT, Type: AT
Function	Crimp
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	<a href="mailto:applicationtooling@molex.com">applicationtooling@molex.com</a>
Overview	<a href="#">Application Tooling</a>
Product Name	Air Tool
Tool Type	Pneumatic Hand Tool
UPC	756054563700
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

**Material Info**

Engineering Number AT-1994

**Reference - Drawing Numbers**

Application Tooling Documents  
ATS-640050400, TM-192790001, TM-192790001SP, TM-640160065, TM-640160065CN, TM-640160065DE, TM-640160065FR, TM-640160065IT, TM-640160065JP, TM-640160065KR, TM-640160065MY, TM-640160065PL, TM-640160065RU, TM-640160065SK, TM-640160065SP, TM-640160065TH, TM-640160065TW, TM-640160065VN



*Series image - Reference only*

**EU ELV**

**Not Relevant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Not Contained Per - ED/30/2017 (7 July 2017)

**Halogen-Free**

**Status**

**Not Relevant**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

**China RoHS**

Not Relevant

Not Relevant

Not Contained

**Search Parts in this Series**

[207129 Series](#)

**Use With**

Molex AT-200 HandHeld Pneumatic Tool  
[192790001](#)

**Application Tooling** | **FAQ**

**Description** | **Product #**

InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm<sup>2</sup>), Box, Tab 6.35 x 0.81mm [190030001](#)

InsulKrimp Quick Disconnect, Female, Box, Tab 6.35 x 0.81mm [190030005](#)

InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm<sup>2</sup>), Box, Tab 6.35 x 0.81mm [190030008](#)

InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm<sup>2</sup>), Box, Tab 6.35 x 0.81mm [190030011](#)

InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm<sup>2</sup>), Box, Tab 6.35 x 0.81mm [190030011](#)

InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm<sup>2</sup>), Box, Tab 6.35 x 0.81mm [190030011](#)

InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm<sup>2</sup>), Box, Tab 6.35 x 0.81mm [190030011](#)

InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm<sup>2</sup>), Box, Tab 6.35 x 0.81mm [190030011](#)

InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm<sup>2</sup>), Box, Tab 6.35 x 0.81mm [190030011](#)

InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm<sup>2</sup>), Box, Tab 6.35 x 0.81mm [190030011](#)

InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm<sup>2</sup>), Box, Tab 6.35 x 0.81mm [190030011](#)

InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm<sup>2</sup>), Box, Tab 6.35 x 0.81mm [190030011](#)

InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm<sup>2</sup>), Box, Tab 6.35 x 0.81mm [190030011](#)

InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm<sup>2</sup>), Box, Tab 6.35 x 0.81mm [190030011](#)

InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm<sup>2</sup>), Box, Tab 6.35 x 0.81mm [190030011](#)

InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm<sup>2</sup>), Box, Tab 6.35 x 0.81mm [190030011](#)

InsulKrimp Quick Disconnect, Female, for 18-22 (0.80-0.35mm<sup>2</sup>), Box, Tab 6.35 x 0.81mm [190030011](#)

Female, for 18-22  
(0.80-0.35mm<sup>2</sup>), Box,  
Tab 4.75 x 0.51mm  
InsulKrimp Quick 190030014  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>), Box,  
Tab 4.75 x 0.51mm  
InsulKrimp Quick 190030017  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>), Box,  
Tab 4.75 x 0.81mm  
InsulKrimp Quick 190030021  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>), Box,  
Tab 4.75 x 0.81mm  
InsulKrimp Quick 190030024  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>), Box,  
Tab 2.79 x 0.51mm  
InsulKrimp Quick 190030030  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>), Box,  
Tab 2.79 x 0.81mm  
InsulKrimp Quick 190030036  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>), Box,  
Tab 5.21 x 0.51mm  
InsulKrimp Quick 190030038  
Disconnect,  
Female, for 18-22  
(0.80-0.35mm<sup>2</sup>), Box,  
Tab 5.21 x 0.81mm  
InsulKrimp Female 190030040  
Quick Disconnect, for  
14-16 AWG Wire  
InsulKrimp Quick 190030044  
Disconnect, Female,  
Box, Tab 6.35 x  
0.81mm  
InsulKrimp Quick 190030047  
Disconnect,  
Female, for 14-16  
(2.00-1.30mm<sup>2</sup>), Box,  
Tab 6.35 x 0.81mm  
InsulKrimp Quick 190030050  
Disconnect,  
Female, for 14-16  
(2.00-1.30mm<sup>2</sup>), Box,  
Tab 4.75 x 0.51mm  
InsulKrimp Female 190030053  
Quick Disconnect, for  
14-16 AWG Wire  
InsulKrimp Quick 190030056  
Disconnect,  
Female, for 14-16  
(2.00-1.30mm<sup>2</sup>), Box,  
Tab 4.75 x 0.81mm  
InsulKrimp Quick 190030059  
Disconnect,

Female, for 14-16  
(2.00-1.30mm<sup>2</sup>), Box,  
Tab 4.75 x 0.81mm  
InsulKrimp Quick 190030062  
Disconnect,  
Female, for 14-16  
(2.00-1.30mm<sup>2</sup>), Box,  
Tab 5.21 x 0.51mm  
InsulKrimp Quick 190030063  
Disconnect,  
Female, for 14-16  
(2.00-1.30mm<sup>2</sup>), Box,  
Tab 5.21 x 0.81mm  
InsulKrimp Quick 190030129  
Disconnect, Female,  
Box, Tab 4.75 x  
0.81mm  
Perma-Seal Female 191640012  
Quick Disconnect for  
18-22 AWG Wire,  
Tab Size 6.35 x  
0.81mm  
Perma-Seal Female 191640047  
Quick Disconnect for  
14-16 AWG Wire,  
Tab Size 6.35 x  
0.81mm  
Quixon Quick 192760002  
Disconnect,  
InsulKrimp Style,  
Female, Fully  
Insulated Red, 18-22  
AWG, Loose  
Quixon Quick 192760005  
Disconnect,  
InsulKrimp Style,  
Female, Fully  
Insulated Blue, 14-16  
AWG, Loose

This document was generated on 03/26/2019

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**