

ITEM	PART#	DESCRIPTION	QTY	UOM
A,B	39014033	MiniFitJrPIg SR PnlMnt V-0 3Ckt	2	PC
C	39000095	MiniFit Term Crp Male C Bs Au 16awg	6	PC
D	--	PAPER PRINTED PAPER WHITE	1	PC

FROM	TO	DESCRIPTION	COLOR
A1	B3	1X16AWG DISC PVC BK UL1015 HOOKUP	BLACK
A2	B2	1X16AWG DISC PVC BK UL1015 HOOKUP	BLACK
A3	B1	1X16AWG DISC PVC BK UL1015 HOOKUP	BLACK




TABLE			
PART NUMBER	L1	L2	TITLE
2153222031	150±8	63 REF	MINIFIT JR SR M-M 3 CIRCUIT 150MM Au
2153222032	300±10	138 REF	MINIFIT JR SR M-M 3 CIRCUIT 300MM Au
2153222033	600±10	288 REF	MINIFIT JR SR M-M 3 CIRCUIT 600MM Au

**NOTES**

1. Cable assembly must pass 100% continuity and polarity test.
2. Connector view shown is from mating side.
3. Label text must be 2mm max. in height with Arial font.
4. Label must be wrapped in flag type on a single cable.

MOLEX P/N  
MOLEX  
BATCH WK/YR

DETAIL A

REVISION			
DATE	REV	DESCRIPTION	CHANGER
2020/03/23	A	INITIAL RELEASE	ARAJU

FUNCTIONAL SYMBOLS $\frac{E}{A} = 0$ $\frac{E}{E} = 0$ $\frac{E}{P} = 0$ DIVISIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		
	DIMENSION UNITS	SCALE	GENERAL TOLERANCES (UNLESS SPECIFIED)		
	mm	NTS	ANGULAR TOL ± °		
	4 PLACES ±		3 PLACES ±		
3 PLACES ±		2 PLACES ±		EC NO: 638380	PRODUCT CUSTOMER DRAWING
2 PLACES ±		1 PLACE ±		DRWN: AS20 2020/03/23	
0 PLACES ±		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		APPR: RDESAI01 2020/05/28	DOCUMENT NUMBER <b>2153222031</b>
THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	DOC TYPE
		A4-SIZE	215322	SEE TABLE	PSD
				CUSTOMER	DOC PART
				GENERAL MARKET	000
					REVISION
					A
					SHEET NUMBER
					1 OF 1

DOCUMENT STATUS	P1	RELEASE DATE	2020/05/28	03:12:49
-----------------	----	--------------	------------	----------