

## Panel mounting frames - VS-08-A-RJ45/LP-1-IP67 - 1689446

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



RJ45 panel mounting frame, IP67, for PCB connection, for square panel cutout, with grommet, without mounting screws, color: gray



### Key Commercial Data

Packing unit	5 pc
GTIN	
GTIN	4017918910341

### Technical data

#### Mechanical characteristics

Number of slots	1
Insertion/withdrawal cycles	≥ 1000
Color	gray
Degree of protection	IP67
Type	RJ45, IP67, version 6

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 80 °C
---------------------------------	------------------

#### Material data

Flammability rating according to UL 94	V0
Housing material	PA
Material	Plastic
Sealing material	NBR
Seal material	NBR
Depth	20 mm
Height	32.5 mm

#### Electrical characteristics

# Panel mounting frames - VS-08-A-RJ45/LP-1-IP67 - 1689446

## Technical data

### Electrical characteristics

Degree of pollution	2
---------------------	---

### Standards and Regulations


Flammability rating according to UL 94	V0
--	----

### Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values


## Drawings

Dimensional drawing



# Panel mounting frames - VS-08-A-RJ45/LP-1-IP67 - 1689446


Drilling diagram



Drilling plan for VS-08-BU-RJ45-6/LH-1

# Panel mounting frames - VS-08-A-RJ45/LP-1-IP67 - 1689446

Dimensional drawing



Mounting cutout

Approvals

Approvals

---

Approvals

EAC

---

Ex Approvals

---

Approval details

## Panel mounting frames - VS-08-A-RJ45/LP-1-IP67 - 1689446

### Approvals

EAC



B.01742

Phoenix Contact 2019 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>