



REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
A		RELEASED	20NOV18	W.Z	W.W
A1		REVISED(ECR-19-008773)	21JUN19	W.Z	W.W



6 POS. CODING AS SHOWN




2322948-1 CODING A




2322948-2 CODING B



2 POS. CODING AS SHOWN





2-2322948-1 CODING A



2-2322948-2 CODING B



SECOND LOCK CLOSED STATUS



SCALE 1:1

- 1 MATERIAL: PA6-GF18, ORANGE
- 2. SUITABLE TERMINAL P/N:  
5-963715-1 , WIRE SIZE: 0.5~0.75mm<sup>2</sup>  
5-928999-1 , WIRE SIZE: 0.25~0.35mm<sup>2</sup>
- 3. MATING HEADER P/N:  
6P: 2322946-1/2322946-2, 2322949-1/2322949-2  
2P: 2-2322946-1/2-2322946-2, 2-2322949-1/2-2322949-2
- 4. OPERATION TEMPERATURE: -40°C~+125°C
- 5. RATED OPERATION VOLTAGE: 1000V DC
- 6. 2322948-1 AS SHOWN

10.35±0.3	(20.35)	ORANGE	PA6-GF18	B	2	2-2322948-2
				A		2-2322948-1
35.75±0.3	(45.75)	COLOR	MATERIAL	B	6	2322948-2
				A		2322948-1
DIM. B	DIM. A	CODING		POS NO.		PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN X.LI 20JUL2017				
		CHK W.WU 07AUG2017				
		APVD L.YIN 10AUG2017	NAME HV DETECTING CONNECTOR			
DIMENSIONS: mm		PRODUCT SPEC 108-32179				
TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.2		APPLICATION SPEC -				
0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±		WEIGHT -	SIZE A3	CAGE CODE 00779	DRAWING NO C-2322948	RESTRICTED TO -
MATERIAL 1		CUSTOMER DRAWING	SCALE 2:1	SHEET 1 OF 1	REV A1	