

Network cable - NBC-FSBP/1,0-94B/R4AC - 1418004


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Network cable, number of positions: 8, 1 Gbps, CAT5, cable outlet: straight



Key Commercial Data

Packing unit	1 pc
Minimum order quantity	25 pc
GTIN	 4 055626 130613
GTIN	4055626130613

Technical data

General data

Number of positions	8
Degree of pollution	3
Alternative short product description	Ethernet cable
Rated voltage (III/3)	72 V (DC)

Standards and Regulations

Flammability rating according to UL 94	V2
--	----


Environmental Product Compliance

	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Drawings

Network cable - NBC-FSBP/1,0-94B/R4AC - 1418004


Dimensional drawing



Housing cutout for M16 fastening thread, mounting panel with feed-through hole (alternatively with surface as protection against rotation)


Network cable - NBC-FSBP/1,0-94B/R4AC - 1418004

Dimensional drawing




M12 flush-type connector

Dimensional drawing



Network cable - NBC-FSBP/1,0-94B/R4AC - 1418004

Circuit diagram



Network cable - NBC-FSBP/1,0-94B/R4AC - 1418004

Cable cross section



Ethernet, flexible, CAT5 [94B]

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

Network cable - NBC-FSBP/1,0-94B/R4AC - 1418004

Approvals

EAC



B.00767

Phoenix Contact 2019 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>