

## **Type 4, 4X Mild Steel and Stainless Steel Terminal** *Series 2000*

### **Modular Console System**



### **Application**

- Ideal as a housing for a complete personal computer system including video screen, keyboard and PLC.
- Flexible design provides panel mount or rack mount capabilities for a variety of applications.
- Generally used in combination with other modular console components (ie. base or pedestal). Mounting on base provides extra room for PLC's and/or printer-paper stands.
- Optional casters (require plinth) allow for a completely mobile, NEMA rated work station.
- Smooth lines and clean edges provide an attractive, contemporary appearance.

### **Standards**

- UL 508 Type 3R, 4,12
- CSA Type 3R, 4, 12, 13
- EIA RS-310-D
- Complies with
  - NEMA Type 3R, 4, 12
  - IEC 60529, IP66

### **Construction**

- UL 508 Type 3R, 4, 4X, 12
- CSA Type 3R, 4, 4X, 12
- EIA RS-310-D
- Complies with
  - NEMA Type 3R, 4, 4X, 12
  - IEC 60529, IP66

### **Finish**

- Formed 14 gauge steel bodies with 14 gauge steel doors.
- Also offered with formed 14 gauge 304 stainless steel bodies with 14 gauge 304 stainless steel doors.
- Smooth, continuously welded seams.
- Body stiffeners are provided where required for increased strength and rigidity.
- Offered in 24" width only.
- Features solid sides and top, 2 solid doors on front (both open downlower, smaller door for keyboard shelf) and back (opens up), and open bottom.
- Lower drop down door provides access to optional slide-out keyboard drawer.
- Front doors feature sliding rod mechanism which allows a 102° opening when in the lowered position.


- Rear door features manual, 3 position adjustable door stop which provides convenient support while door in open position.
- Formed lip on enclosure excludes flowing liquids and contaminants.
- Slotted quarter turn oil-tight latches secure the door, with optional tamper resistant and locking latches available.
- Stainless steel models utilize stainless steel hardware.
- Oil resistant gaskets are permanently secured and mechanically retained.
- Features several internal stud locations for mounting of various accessories.
- A bonding screw is provided on the door and a grounding stud is provided in the enclosure.

## Accessories

- Available in RAL 7035 light gray textured powder coating and natural stainless steel with a smooth, brushed finish.
- 24" Front Window Door available in same finishes.

## Accessories

- |                                          |                                     |
|------------------------------------------|-------------------------------------|
| • Cooling Products                       | • Blowers and Fans                  |
| • Filtered Fans                          | • Rack Mount Fan Tray               |
| • Heaters                                | • Modular Plinth                    |
| • Data Terminal Extension Ring           | • Turret/Terminal Window Door       |
| • Terminal Keyboard Shelf                | • Swing Frame                       |
| • "C" Channel Mounting Kit               | • Rail Support Kit                  |
| • Combination Rails                      | • CRT Mounting Kit                  |
| • Gas Filled Door Support                | • Steel Rack Panels                 |
| • 24 to 19 Inch Rack Rail Reducer        | • Rack Mount Locking Storage Drawer |
| Panel                                    |                                     |
| • Four Post Mounting Equipment Slides    | • Side Support Angles               |
| • Four Post Mounting Fixed Chassis Shelf | • Two Post Mounting Storage Shelf   |
| • Equipment Support Rack Panel           |                                     |
| • Ground Wire Kits                       | • Console Casters                   |



<b>Part No.</b>	<b>Finish</b>
<b>2CLD24R</b>	Type 4 RAL 7035 Light Gray
<b>2CSD24R</b>	Type 4, 4X Stainless Steel

*Data subject to change without notice*

© 2017. Hammond Manufacturing Ltd. All rights reserved.