



Product Change Notification

TE Connectivity

Product Change Notification: P-22-022354

PCN Date: 15-MAR-22

TE would like to inform you of the following change(s) to the listed TE Connectivity Product. In case of any further questions about this change(s), please contact your TE Connectivity Sales Engineer. Affected part, drawing and/or specification numbers are listed on the attached sheet(s).

General Product Description:
SOLISTRAND Ring Terminals 150 MCM through 600 MCM sizes

Description of Changes
Obsolescence of select large gauge SOLISTRAND parts affected by raw material force majeure.
Other attachments:
[SOLISTRAND to AMPPOWER Cross Reference](#)

Reason for Changes:
Part status change. Obsolescence of select large gauge SOLISTRAND parts affected by raw material force majeure.
Estimated Dates:

Last Order Date (Obsolete Parts Only):	First Date To Ship (Changed Parts Only):
Last Ship Date (Obsolete Parts Only):	Last Date for Mixed Shipments: (Changed Parts Only):
	No Mixed Shipments

Part Number(s) being Modified:

Part Number	Part Discontinued per PCN	Customer Drawing	Customer Part Number	Alias Part Number(s)	Substitute Part Number	Substitute Alias Part Number(s)	Description Of Difference
322252	NO						
322254	NO						
322259	NO						
322262	NO						
322264	NO						
322275	NO						
322764	NO						

Part Number(s) being Modified:

Part Number	Part Discontinued per PCN	Customer Drawing	Customer Part Number	Alias Part Number(s)	Substitute Part Number	Substitute Alias Part Number(s)	Description Of Difference
322252	NO						
322254	NO						
322259	NO						
322262	NO						
322264	NO						
322275	NO						
322764	NO						

Cross Reference for SOLISTRAND Products to AMPOWER Products

January 27, 2022

Rev 3.0

EVERY CONNECTION COUNTS





Cross Reference (SOLISTRAND to AMPOWER)

*Both the SOLISTRAND & AMPOWER Products listed are U. L. Listed & CSA Certified

SOLISTRAND Products	Terminal Style/ Stud Size	AMPOWER Products	
322252 250 – 300 MCM (117 mm ² - 152 mm ²)	Ring Tongue 3/8	325703 250 MCM (127mm ²) WIRE RANGE: 231 MCM - 275 MCM (117 mm ² - 139 mm ²)	325803 & 325803-1 300 MCM (152 mm ²) WIRE RANGE: 275 MCM - 325 MCM (139 mm ² - 165 mm ²)
322253 250 – 300 MCM (117 mm ² - 152 mm ²)	Ring Tongue 7/16	NOT AVAILABLE	
322254 250 – 300 MCM (117 mm ² - 152 mm ²)	Ring Tongue 1/2 (M12)	325705 250 MCM (127mm ²) WIRE RANGE: 231 MCM - 275 MCM (117 mm ² - 139 mm ²)	325805 & 325805-1 300 MCM (152 mm ²) WIRE RANGE: 275 MCM - 325 MCM (139 mm ² - 165 mm ²)
322257 300 – 350 MCM (152 mm ² - 193 mm ²)	Ring Tongue 3/8	325803 & 325803-1 300 MCM (152 mm ²) WIRE RANGE: 275 MCM - 325 MCM (139 mm ² - 165 mm ²)	325903 350 MCM (177 mm ²) WIRE RANGE: 325 MCM - 375 MCM (165 mm ² - 190 mm ²)
322259 300 – 350 MCM (152 mm ² - 193 mm ²)	Ring Tongue 1/2 (M12)	325805 & 325805-1 300 MCM (152 mm ²) WIRE RANGE: 275 MCM - 325 MCM (139 mm ² - 165 mm ²)	325905 & 325905-1 350 MCM (177 mm ²) WIRE RANGE: 325 MCM - 375 MCM (165 mm ² - 190 mm ²)
322262 400 MCM (193 mm ² - 242 mm ²)	Ring Tongue 3/8	326003 400 MCM (203 mm ²) WIRE RANGE: 375 MCM - 450 MCM (190 mm ² - 228 mm ²)	
322264 400 MCM (193 mm ² - 242 mm ²)	Ring Tongue 1/2 (M12)	326005 & 326005-2 400 MCM (203 mm ²) WIRE RANGE: 375 MCM - 450 MCM (190 mm ² - 228 mm ²)	
322275 250 – 300 MCM (117 mm ² - 152 mm ²)	Parallel Splice	324447 250 MCM (127mm ²) WIRE RANGE: 231 MCM - 275 MCM (117 mm ² - 139 mm ²)	324448 300 MCM (152 mm ²) WIRE RANGE: 275 MCM - 325 MCM (139 mm ² - 165 mm ²)



Cross Reference (SOLISTRAND to AMPOWER)

*Both the SOLISTRAND & AMPOWER Products listed are U. L. Listed & CSA Certified

SOLISTRAND Products	Terminal Style/ Stud Size	AMPOWER Products	
322276 300 – 350 MCM (152 mm ² - 193 mm ²)	Parallel Splice	324448 300 MCM (152 mm ²) WIRE RANGE: 275 MCM - 325 MCM (139 mm ² - 165 mm ²)	324449 350 MCM (177 mm ²) WIRE RANGE: 325 MCM - 375 MCM (165 mm ² - 190 mm ²)
322277 400 MCM (193 mm ² - 242 mm ²)	Parallel Splice	324450 400 MCM (203 mm ²) WIRE RANGE: 375 MCM - 450 MCM (190 mm ² - 228 mm ²)	
322279 250 – 300 MCM (117 mm ² - 152 mm ²)	Butt Splice	324462 250 MCM (127mm ²) WIRE RANGE: 231 MCM - 275 MCM (117 mm ² - 139 mm ²)	324463 300 MCM (152 mm ²) WIRE RANGE: 275 MCM - 325 MCM (139 mm ² - 165 mm ²)
322281 400 MCM (193 mm ² - 242 mm ²)	Butt Splice	324465 400 MCM (203 mm ²) WIRE RANGE: 375 MCM - 450 MCM (190 mm ² - 228 mm ²)	
322282 500 – 600 MCM (242 mm ² - 304 mm ²)	Butt Splice	324466 500 MCM (253 mm ²) WIRE RANGE: 450 MCM - 550 MCM (228 mm ² - 279 mm ²)	324467 600 MCM (304 mm ²) WIRE RANGE: 550 MCM - 650 MCM (279 mm ² - 329 mm ²)
322428 300 – 350 MCM (152 mm ² - 193 mm ²)	Ring Tongue 3/4	NOT AVAILABLE	
322764 300 – 350 MCM (152 mm ² - 193 mm ²)	Ring Tongue 1/2 (M12)	325805 & 325805-1 300 MCM (152 mm ²) WIRE RANGE: 275 MCM - 325 MCM (139 mm ² - 165 mm ²)	325905 & 325905-1 350 MCM (177 mm ²) WIRE RANGE: 325 MCM - 375 MCM (165 mm ² - 190 mm ²)
323050 250 – 300 MCM (117 mm ² - 152 mm ²)	Ring Tongue 5/8 (M16)	325707 250 MCM (127mm ²) WIRE RANGE: 231 MCM - 275 MCM (117 mm ² - 139 mm ²)	325807 300 MCM (152 mm ²) WIRE RANGE: 275 MCM - 325 MCM (139 mm ² - 165 mm ²)



Cross Reference (SOLISTRAND to AMPOWER)

*Both the SOLISTRAND & AMPOWER Products listed are U. L. Listed & CSA Certified

SOLISTRAND Products	Terminal Style/ Stud Size	AMPOWER Products	
322267 500 – 600 MCM (242 mm ² - 304 mm ²)	Ring Tongue 3/8	326103 500 MCM (253 mm ²) WIRE RANGE: 450 MCM - 550 MCM (228 mm ² - 279 mm ²)	600 MCM (304 mm²) NOT AVAILABLE
322278 500 – 600 MCM (242 mm ² - 304 mm ²)	Parallel Splice	324451 500 MCM (253 mm ²) WIRE RANGE: 450 MCM - 550 MCM (228 mm ² - 279 mm ²)	324452 600 MCM (304 mm ²) WIRE RANGE: 550 MCM - 650 MCM (279 mm ² - 329 mm ²)
322280 300 – 350 MCM (152 mm ² - 193 mm ²)	Butt Splice	324463 300 MCM (152 mm ²) WIRE RANGE: 275 MCM - 325 MCM (139 mm ² - 165 mm ²)	324464 350 MCM (177 mm ²) WIRE RANGE: 325 MCM - 375 MCM (165 mm ² - 190 mm ²)

For Crimp Tooling Assistance, Contact us today to learn more.

E-mail (Americas): toolingsales@te.com

Phone (Americas): 800-722-1111

Phone (EMEA): +49-6251-133-3936

Phone (APAC): +86 21 3325 9030

Ask questions through the web site: <https://www.te.com/usa-en/customer-support/customer-service.html>

**ANY
CONNECTION
CAN CHANGE
THE WORLD**

EVERY CONNECTION COUNTS

