



REVISIONS				
P	LTN	DESCRIPTION	DATE	APVD
J		REV PER ECO-21-005288	-	KK KK
K		REVISED PER ECN-22-190797	19DEC2022	MT MT
L		REV PER ECN-23-197955	07FEB2023	MT GL
L1		REVISED AS PER ECN-23-205387	28MAR2023	MT GL



1. CHARACTERISTIC IMPEDANCE: 100±10 OHMS (MEASURED DIFFRENTIALLY)

△ LABEL INFORMATION FOR 25 GIG PNS (-1 THRU -6): -1 SHOWN




3. SEE SHEET 2 FOR WIRING SCHEMATIC.

4. ROHS COMPLIANCE: PRODUCT AND PROCESSING MEETS REQUIREMENTS OF TE CONNECTIVITY SPECIFICATION TEC-138-702.

△ TEST IN ACCORDANCE WITH IEEE802.3by.


△ DUE TO SHORT CABLE LENGTH, THE PART NUMBERS INDICATED MAY NOT MEET IEEE802.3by RETURN LOSS AND MINIMUM INSERTION LOSS LIMITS.

△ LABEL INFORMATION FOR 56 GIG PNS (-41 THRU -46): -41 SHOWN



△ DASH NUMBER 41 THRU 46 CONFORM TO 56G, PAM-4 IEEE802.3CD PERFORMANCE REQUIREMENTS.

△ CE MARKING LABEL INFORMATION (EXAMPLE SHOWS CHINA AND MEXICO MANUFACTURING ADDRESS):




CE UKCA AND WEEE MARKING (5MM REF CHARACTER HEIGHT FOR CE MARKING) (5MM REF CHARACTER HEIGHT FOR UKCA MARKING) (7MM REF CHARACTER HEIGHT FOR WEEE MARKING)
 MANUFACTURING LOCATION ADDRESS (ADDRESS SHOWN FOR REFERENCE ONLY. DETAILS DEPENDING ON MANUFACTURING LOCATION)

△ 8	30 AWG	300 +50/-0	4-2821222-6
	30 AWG	2000 +80/-0	4-2821222-5
	30 AWG	1500 +80/-0	4-2821222-4
	30 AWG	1000 +50/-0	4-2821222-3
	30 AWG	750 +50/-0	4-2821222-2
△ 5	30 AWG	500 +50/-0	4-2821222-1
	30 AWG	2500 +80/-0	2821222-6
	30 AWG	△ 500 +50/-0	2821222-5
	30 AWG	1500 +80/-0	2821222-4
	30 AWG	1000 +50/-0	2821222-3
	30 AWG	2000 +80/-0	2821222-2
	30 AWG	3000 +80/-0	2821222-1
STANDARD	WIRE GAGE	L	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN T. SMITH 11APR2017	TE Connectivity NAME CABLE ASSEMBLY, 30 AWG, SFP+ TO SFP+ 28G PRODUCT SPEC - APPLICATION SPEC -	
DIMENSIONS: mm		CHK E. CUESTA 11APR2017		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD E. CUESTA 11APR2017	SIZE CAGE CODE DRAWING NO RESTRICTED TO	
0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH ±		WEIGHT -	A1 - C=2821222	
MATERIAL -		CUSTOMER DRAWING	SCALE 2:1	SHEET 1 OF 2 REV L1

REVISIONS				
P	LTN	DESCRIPTION	DATE	OWN
-	SEE SHEET 1			



THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN T. SMITH 11APR2017	TE Connectivity	
DIMENSIONS:		CHK E. CUESTA 11APR2017	NAME CABLE ASSEMBLY, 30 AWG, SFP+ TO SFP+ 28G	
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD E. CUESTA 11APR2017	PRODUCT SPEC	RESTRICTED TO
	0 PLC ±	APPLICATION SPEC	SIZE A1	CAGE CODE -
	1 PLC ±		DRAWING NO C=2821222	SCALE 2:1
	2 PLC ±		WEIGHT -	SHEET 2 OF 2
	3 PLC ±			REV L1
	4 PLC ±			
	ANGLES ±			
	FINISH ±			
MATERIAL		CUSTOMER DRAWING		