	G	т	m			0	ω		
						LAYOUT SHOWN			
CHARACTERISTICS		Keying Shown							
-Standard : Based on MIL-DTL-	38999 Series III	-	Connector dimension Dim Nominal						
-Shell Plating : Blac -Insulator : Ther	-Shell Material: AluminiumØS35.7 Max-Shell Plating: Black Zinc NickelZ31 Max-Insulator: ThermoplasticVV THREADM25x1-6g					SOURIAU shall not be liable for any non-conformity or damage due to a use of the Products which does not comply with the Specifications issued by either of the Parties or by a third party (professional recommendation, technical notice.)			
	on Elastomer							on & Control List	
	Contact Plating : Gold over copper Alloy 0.8μm minimum Durability : 500 Mating cycles								
	-Delivered with Souriau contacts and Accessories					PN: 8D517Z06AA			
-Temperature Range : -65°	C to +175°C				A 18-10-2016	Eirct Poloaco			
-Salt Spray : 500									
	g ± 10%				ISS DATE Designed By:	Latest modification - by Date:	C	JSTOMER DRAWING	IOD N°
						Aluminium Plug 8D series			
BASIC SERIES:		Z 06 A A			SCALE	General lin Tolerance ±		NPRDS / PROJECT 859	
CONTACT TYPE : Standard C	rimp Contact		0	RIENTATION : A	SOURIAU	WWW.SOURIA	U.COM	This document is the property o SOURIAU it must not be reproduced or	
SHELL SIZE : 17								communicated without permissio	on
PLATING : Z = Black Zi	nc Nickel		CONTACT	LAYOUT : 17-06			AU DRG N°		SHEET
	I				A3		7Z06AA-C		1/2
н	G	F	I E	$\backslash /$	D	C	В	A	

	τ		Q	нт —	m		0	
		Contact La	ayout					
4								
		Contacts (insert arrangemer	×					
З		position ID X-axis (mm) A +.121 (3.07) B +.241 (6.12) C +.000 (0.00) D 241 (6.12) E 121 (3.07) F +.000 (0.00)	Y-axis (mm) + 209 (5.31) +.000 (0.00) - 241 (6.12) +.000 (0.00) + 209 (5.31) +.000 (0.00)					
	Shell Arranger size no. 17 -6		Service Contact Superseder rating location I All MS20053-6					
							due to a use the Specifications	not be liable for ar of the Products w s issued by either c ional recommenda
23								Count FR PN: 8D517
						A 1 ISS Designed	8-10-2016 First Release DATE Latest modificatio	on - by
						SCALE		Alumir General linear Tolerances:
-						SOU	IRIAU WWW	± SOURIAU.C
						FORMAT A3		SOURIAU 8D517Z
	Н		G	F	E	D	C	

