






PRODUCT NO.
61126-****/****LF


Tous droits strictement réservés. Reproduction ou communication, a des tiers int
sous quelque forme que ce soit sans autorisation écrite du propriétaire.
Property of c.BERG ELECTRONICS.
Copyright BERG ELECTRONICS by

FCI

All rights strictly reserved. Reproduction or issue to third parties in any for
whatever is not permitted without written authority from the proprietor.
Property of c.BERG ELECTRONICS.
Copyright BERG ELECTRONICS by




SMT IN LIN



RIGHT ANGLE


<SEC. Z-Z>



DETAIL E
FOR 61126-****H/****HLF ONLY



ABOVE P.C.B
LEFT PUSH ROD



ABOVE P.C.B
RIGHT PUSH ROD



BELOW P.C.B
RIGHT PUSH ROD



BELOW P.C.B
LEFT PUSH ROD

mat'l code				tolerance unless otherwise specified				CUSTOMER COPY		 www.fciconnect.com	
rev.	ecn no.	dr	date	linear	±0.30			projection	title		
H	N05-0063	WB	03/04/05						NARROW BODY EJ HEADER ASS'Y 68POS.		
C	T90181	W L	05/06/99	angles	± 2'			unit mm/inch	product family		code
D	V91408	W L	06/23/99	dr	WENDY CHEN	07/12/95	PCMCIA		TWN		
E	V11056	W L	03/20/01	enr	L.W. LU	07/12/95	size		dwg no.		
F	V12191	W L	09/20/01	chr	JOSEPH HSIA	07/12/95	scale		sheet		
G	T10287	W L	10/19/01	appd	JENN TSAO	07/12/95	1:1		1 OF 4		
sheet	revision	H	G	H	F						
index	sheet	1	2	3	4						

Tous droits strictement réservés. Reproduction ou communication, a des tiers int
 sous quelque forme que ce soit, sans autorisation écrite du propriétaire.
 Copyright © BERG ELECTRONICS. Droits de reproduction BERG ELECTRONICS by
 A
 B
 C
 D
 FCI
 All rights strictly reserved. Reproduction or issue to third parties in any for
 whatever is not permitted without written authority from the proprietor.
 Property of © BERG ELECTRONICS. Copyright BERG ELECTRONICS by

PRODUCT NO.
61126-****

LEFT	BELOW	SMT-IL	NONE	61126-602XY	94898-502	95079-00XY	NONE	LAYOUT 2
RIGHT	BELOW	SMT-IL	NONE	61126-502XY	94898-502	95079-10XY		
LEFT	ABOVE	SMT-IL	NONE	61126-102XY	94898-002	95079-10XY	NONE	LAYOUT 1
RIGHT	ABOVE	SMT-IL	NONE	61126-002XY	94898-002	95079-00XY		
RIGHT	ABOVE	SMT-IL	NONE	61126-002XYH ④	94898-002	95079-00XY	93925-001	
LEFT	BELOW	R/A	5	61126-650XY	94898-520	95079-05XY	NONE	LAYOUT 4
RIGHT	BELOW	R/A	5	61126-550XY	94898-520	95079-15XY		
LEFT	ABOVE	R/A	5	61126-150XY	94898-020	95079-15XY	93925-004	LAYOUT 3
LEFT	ABOVE	R/A	5	61126-150XYH ④	94898-020	95079-15XY		
RIGHT	ABOVE	R/A	5	61126-050XYH ④	94898-020	95079-05XY	93925-004	
RIGHT	ABOVE	R/A	5	61126-050XY	94898-020	95079-05XY		
LEFT	BELOW	R/A	4	61126-640XY	94898-510	95079-04XY	NONE	LAYOUT 4
RIGHT	BELOW	R/A	4	61126-540XY	94898-510	95079-14XY		
LEFT	ABOVE	R/A	4	61126-140XY	94898-010	95079-14XY	NONE	LAYOUT 3
RIGHT	ABOVE	R/A	4	61126-040XY	94898-010	95079-04XY		
LEFT	BELOW	R/A	2	61126-620XY	94898-540	95079-02XY	NONE	LAYOUT 4
RIGHT	BELOW	R/A	2	61126-520XY	94898-540	95079-12XY		
LEFT	ABOVE	R/A	2	61126-120XY	94898-040	95079-12XY	NONE	LAYOUT 3
RIGHT	ABOVE	R/A	2	61126-020XY	94898-040	95079-02XY		
LEFT	BELOW	R/A	NONE	61126-600XY	94898-500	95079-00XY	NONE	LAYOUT 4
RIGHT	BELOW	R/A	NONE	61126-500XY	94898-500	95079-10XY		
LEFT	ABOVE	R/A	NONE	61126-100XY	94898-000	95079-10XY	NONE	LAYOUT 3
LEFT	ABOVE	R/A	NONE	61126-100XYH ④	94898-000	95079-10XY		
RIGHT	ABOVE	R/A	NONE	61126-000XYH ④	94898-000	95079-00XY	93925-001	
RIGHT	ABOVE	R/A	NONE	61126-000XY	94898-000	95079-00XY	93925-001	
RIGHT	ABOVE	R/A	NONE	61126-000XY	94898-000	95079-00XY	NONE	
① PUSH ROD LOCATION	② PCB SIDE	SOLDER TAIL	DIM. L STAND-OFF	TO MAKE FINAL ASS'Y PART NUMBER	HEADER PART NUMBER	MECHANISM ASS'Y P/N	HOLD-DOWN (4 PCS)	PCB LAYOUT SEE PAGE 3

NOTE : (CONTIONOUS ON SHEET 3)

① PUSH ROD LOCATION AND PCB SIDE ARE AS APPEARS INSTALLED.

② SOLDER TAIL KEY:
 R/A = RIGHT ANGLE PIN-THROUGH-HOLE
 SMT-IL = SURFACE MOUNT IN-LINE(SINGLE ROW)

3. X = PUSH ROD LENGTH FROM END OF GUIDERAIL

DIM. S

C	: 13.0 mm
D	: 15.6 mm
F	: 21.0 mm

Y = PUSH ROD COLOR
 A : BLACK
 H : NATURAL

④ INCLUDES 4 HOLD DOWNS.


mat'l code		tolerance unless otherwise specified		CUSTOMER COPY		 www.fciconnect.com	
rev.	ecn no.	dr	date	linear ±0.30			
G				angles ± 2'		 title NARROW BODY EJ HEADER ASS'Y 68POS.	
				dr	WENDY CHEN	07/12/95	unit
				enrg	L.W. LU	07/12/95	mm/inch
				chr	JOSEPH HSIA	07/12/95	scale
				appd	JENN TSAO	07/12/95	1:1
sheet	revision						
index	sheet						

PRODUCT NO.
61126-****LF





LEFT	BELOW	SMT-IL	NONE	61126-602XYLF	94898-502LF	95079-00XY	NONE	LAYOUT 2
RIGHT	BELOW	SMT-IL	NONE	61126-502XYLF	94898-502LF	95079-10XY		
LEFT	ABOVE	SMT-IL	NONE	61126-102XYLF	94898-002LF	95079-10XY	NONE	LAYOUT 1
RIGHT	ABOVE	SMT-IL	NONE	61126-002XYLF	94898-002LF	95079-00XY		
RIGHT	ABOVE	SMT-IL	NONE	61126-002XYHLF④	94898-002LF	95079-00XY	93925-001	
LEFT	BELOW	R/A	5	61126-650XYLF	94898-520LF	95079-05XY	NONE	LAYOUT 4
RIGHT	BELOW	R/A	5	61126-550XYLF	94898-520LF	95079-15XY		
LEFT	ABOVE	R/A	5	61126-150XYLF	94898-020LF	95079-15XY	93925-004	LAYOUT 3
LEFT	ABOVE	R/A	5	61126-150XYHLF④	94898-020LF	95079-15XY		
RIGHT	ABOVE	R/A	5	61126-050XYHLF④	94898-020LF	95079-05XY	93925-004	
RIGHT	ABOVE	R/A	5	61126-050XYLF	94898-020LF	95079-05XY		
LEFT	BELOW	R/A	4	61126-640XYLF	94898-510LF	95079-04XY	NONE	LAYOUT 4
RIGHT	BELOW	R/A	4	61126-540XYLF	94898-510LF	95079-14XY		
LEFT	ABOVE	R/A	4	61126-140XYLF	94898-010LF	95079-14XY	NONE	LAYOUT 3
RIGHT	ABOVE	R/A	4	61126-040XYLF	94898-010LF	95079-04XY		
LEFT	BELOW	R/A	2	61126-620XYLF	94898-540LF	95079-02XY	NONE	LAYOUT 4
RIGHT	BELOW	R/A	2	61126-520XYLF	94898-540LF	95079-12XY		
LEFT	ABOVE	R/A	2	61126-120XYLF	94898-040LF	95079-12XY	NONE	LAYOUT 3
RIGHT	ABOVE	R/A	2	61126-020XYLF	94898-040LF	95079-02XY		
LEFT	BELOW	R/A	NONE	61126-600XYLF	94898-500LF	95079-00XY	NONE	LAYOUT 4
RIGHT	BELOW	R/A	NONE	61126-500XYLF	94898-500LF	95079-10XY		
LEFT	ABOVE	R/A	NONE	61126-100XYLF	94898-000LF	95079-10XY	NONE	LAYOUT 3
LEFT	ABOVE	R/A	NONE	61126-100XYHLF④	94898-000LF	95079-10XY		
RIGHT	ABOVE	R/A	NONE	61126-000XYHLF④	94898-000LF	95079-00XY	93925-001	
RIGHT	ABOVE	R/A	NONE	61126-000XYLF	94898-000LF	95079-00XY	93925-001	
RIGHT	ABOVE	R/A	NONE	61126-000XYLF	94898-000LF	95079-00XY	NONE	
① PUSH ROD LOCATION	② PCB SIDE	SOLDER TAIL	DIM. L STAND-OFF	TO MAKE FINAL ASS'Y PART NUMBER	HEADER PART NUMBER	MECHANISM ASS'Y P/N	HOLD-DOWN (4 PCS)	PCB LAYOUT SEE PAGE 3



NOTE: (CONTIONOUS FROM SHEET 2)

- IF LEAD FREE P/N. THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE
SOLDER TAIL : SMT-IL, SMT-STG CAN RESIST 40 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.
SOLDER TAIL : R/A CAN RESIST 10 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.00MM MINIMUM THICK CIRCUIT BOARD.
- IF LEAD FREE P/N. THE PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DISCRIBLED IN GS-22-008
- LEAD FREE P/N PACKAGING MEETS GS-14-920 SPECIFICATION

mat'l code		tolerance unless otherwise specified		CUSTOMER COPY		 www.fciconnect.com	
rev.	ecn no.	dr	date	linear	±0.30		projection
H							
				angles	± 2'		title NARROW BODY EJ HEADER ASS'Y 68POS.
				dr	WENDY CHEN	07/12/95	
				engr	L.W. LU	07/12/95	code TWN
				chr	JOSEPH HSIA	07/12/95	
				appd	JENN TSAO	07/12/95	scale 1:1
sheet	revision						
index	sheet						code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA
							code TWN
							size A3
							scale 1:1
							product family PCMCIA

PRODUCT NO.
61126-****/****LF



mat'l code		tolerance unless otherwise specified		CUSTOMER COPY		 www.fciconnect.com	
rev.	ecn no.	dr	date	linear	±0.30		
F							NARROW BODY EJ HEADER ASS'Y 68POS.
				angles	± 2'	unit	product family
		dr	WENDY CHEN	07/12/95		mm/inch	PCMCIA
		engr	L.W. LU	07/12/95		scale	code
		chr	JOSEPH HSIA	07/12/95		1:1	TWN
		appd	JENN TSAO	07/12/95			sheet
sheet	revision						4 OF
index	sheet						

Tous droits strictement reserves. Reproduction ou communication a des tiers int sous quelque forme que ce soit sans autorisation ecrite du proprietaire. propriete de c BERG ELECTRONICS. Droits de reproduction BERG ELECTRONICS by
 All rights strictly reserved. Reproduction or issue to third parties in any for whatever is not permitted without written authority from the proprietor. Property of c BERG ELECTRONICS. Copyright BERG ELECTRONICS by