

Release Notes

CY3676 Evaluation Kit

Release Date: December 29, 2016

Thank you for your interest in the CY3676 Evaluation Kit. This document lists kit contents, installation requirements, kit documentation, limitations and known issues with the kit.

Kit Contents

The CY3676 Evaluation Kit includes the following:

- CY3676 Evaluation Board
- USB Standard-A to Mini-B cable
- Quick Start Guide

Software and Tools

The Example Projects included in the kit software require ClockWizard 2.1 or later. This is available with the kit installer or can be downloaded from the CY3676 Evaluation Kit [webpage](#).

The Example Projects also requires the PSoC Programmer 3.25 or later. This is available with the kit installer or can be downloaded from the PSoC Programmer [webpage](#).

Installation

Installation instructions are provided in the Kit Guide, available at www.cypress.com/CY3676

Example Projects and Kit Collateral

The CY3676 Evaluation Kit [webpage](#) includes the kit installation packages, DVD image (ISO), and setup files (EXE) to install the examples projects, documents, and hardware files of this kit. Refer the Kit Guide included in the kit installer, or the kit [webpage](#) for more details on the hardware and examples.

Kit Revision

This is Rev. *A version of the CY3676 Evaluation Kit. This release comes with ClockWizard 2.1 GUI application and Example Projects created using this software application.

Limitations and Known Issues

None.

Documentation

The kit documents are located in the `Documentation` folder in the installation directory. The default location for the kit documents is:

`<Install_Directory>\CY3676 Evaluation Kit\<version>\Documentation`

Documents include:

- *CY3676_Kit_Guide.pdf*
- *CY3676_Quick_Start_Guide.pdf*
- *CY3676_Release_Notes.pdf*

Silicon Errata

The silicon does not have an errata. Refer to the CY29412 datasheet available at www.cypress.com/HPO

Technical Support

For assistance, go to www.cypress.com/support or contact our customer support at +1 (800) 541-4736 Ext. 2 (in the USA), or +1 (408) 943-2600 Ext. 2 (International).

Additional Information

For more information about ClockWizard 2.1 visit [webpage](#)

For more information about PSoC Programmer and supported hardware visit the PSoC Programmer webpage www.cypress.com/psocprogrammer

Cypress Semiconductor
198 Champion Court
San Jose, CA 95134-1709
Phone(USA): 800.858.1810
Phone (Intl): +1.408.943.2600
www.cypress.com

Copyrights

© Cypress Semiconductor Corporation, 2016. The information contained herein is subject to change without notice. Cypress Semiconductor Corporation assumes no responsibility for the use of any circuitry other than circuitry embodied in a Cypress product. Nor does it convey or imply any license under patent or other rights. Cypress products are not warranted nor intended to be used for medical, life support, life saving, critical control or safety applications, unless pursuant to an express written agreement with Cypress. Furthermore, Cypress does not authorize its products for use as critical components in life support systems where a malfunction or failure may reasonably be expected to result in significant injury to the user. The inclusion of Cypress products in life-support systems application implies that the manufacturer assumes all risk of such use and in doing so indemnifies Cypress against all charges.

Any Source Code (software and/or firmware) is owned by Cypress Semiconductor Corporation (Cypress) and is protected by and subject to worldwide patent protection (United States and foreign), United States copyright laws and international treaty provisions. Cypress hereby grants to licensee a personal, non-exclusive, non-transferable license to copy, use, modify, create derivative works of, and compile the Cypress Source Code and derivative works for the sole purpose of creating custom software and or firmware in support of licensee product to be used only in conjunction with a Cypress integrated circuit as specified in the applicable agreement. Any reproduction, modification, translation, compilation, or representation of this Source Code except as specified above is prohibited without the express written permission of Cypress.

Disclaimer: CYPRESS MAKES NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, WITH REGARD TO THIS MATERIAL, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Cypress reserves the right to make changes without further notice to the materials described herein. Cypress does not assume any liability arising out of the application or use of any product or circuit described herein. Cypress does not authorize its products for use as critical components in life-support systems where a malfunction or failure may reasonably be expected to result in significant injury to the user. The inclusion of Cypress' product in a life-support systems application implies that the manufacturer assumes all risk of such use and in doing so indemnifies Cypress against all charges.

Use may be limited by and subject to the applicable Cypress software license agreement.

PSoC and Programmable System-on-Chip are trademarks of Cypress Semiconductor Corp. All other trademarks or registered trademarks referenced herein are property of the respective corporations.

Flash Code Protection

Cypress products meet the specifications contained in their particular Cypress PSoC Datasheets. Cypress believes that its family of PSoC products is one of the most secure families of its kind on the market today, regardless of how they are used. There may be methods, unknown to Cypress that can breach the code protection features. Any of these methods, to our knowledge, would be dishonest and possibly illegal. Neither Cypress nor any other semiconductor manufacturer can guarantee the security of their code. Code protection does not mean that we are guaranteeing the product as "unbreakable."

Cypress is willing to work with the customer who is concerned about the integrity of their code. Code protection is constantly evolving. We at Cypress are committed to continuously improving the code protection features of our products.